Ø PERLICK

REMOTE NARROW DOOR BACK BAR REFRIGERATOR





BBRN40 shown

c (UL) u





MODELS
BBRN40
BBRN60
BBRN80

KEY PRODUCT FEATURES AND BENEFITS

- Remote back bar refrigerators allow customers to mount the compressor in an alternate location, ideal for remote servicing and noise isolation
- 16" Doors, 20% smaller than standard, to accommodate tight working spaces behind the bar
- All stainless steel interior with stainless steel or black top for long life durability and easy to clean hygienic storage
- 2" Foamed-in-place insulation provides energy savings using Ecomate™, a blowing agent that has zeroozone depletion and zero global warming potential
- NSF/ANSI Standard 7 Listed for open food, beverage, and garnish storage
- Anti-Sweat heaters in cabinet face prevents condensation from forming on door, extending door gasket life and protecting flooring below from damage or slip hazards
- Multiple door styles available in any compartment
 - Choose between Glass, Stainless Steel, Black Vinyl, or Customer Provided Overlay
 - Drawers not available on remote models

Additional Features:

- Choose between all stainless exterior or all black option featuring Cerakote finished black handles and door locks.
- Configurable to accommodate tapping from any compartment
- Integrated door locks standard on all units
- Optional condensing units available
- Choose between 6000K white LED lighting or cool blue display lighting
- Choose between flat shelving and wine racks for each compartment
- Choose between Full Length, 6" Chrome, or pull tab style handles
- 1 Year Parts and Labor Warranty

OPTIONS

MODEL NOS.	DESCRIPTION
BBRN40	2-Door Model
BBRN60	3-Door Model
BBRN80	4-Door Model

ØPERLICK[®]



REMOTE NARROW DOOR BACK BAR REFRIGERATOR

MODEL NUMBERS		BBRN40	BBRN60	BBRN80
NUMBER OF DOORS		2	3	4
EXTERIOR	Length - in. (mm)	40 (1016)	60 (1524)	80 (2032)
CABINET	Depth - in. (mm)	24¾ (629)	24¾ (629)	24¾ (629)
DIMENSIONS	Height - in. (mm)	34% (878)	34%6 (878)	34% (878)
INTERIOR	Length - in. (mm)	367/16 (926)	567/16 (1434)	767/16 (1942)
CABINET	Depth - in. (mm)	18¾ (476)	18¾ (476)	18¾ (476)
DIMENSIONS	Height - in. (mm)	31 (787)	31 (787)	31 (787)
INTERNAL VOLUME Net. Cu. Ft. (Litres)		12.0 (340)	19.0 (538)	26.8 (759)
PRODUCT CAPACITY	Case Packed - 12 Oz. Bottle/Can	269/441	458/705	617/955
PRODUCT CAPACITY	Staggered - 12 Oz. Bottle/Can	289/472	495/757	668/1026
SHIPPING WEIGHT Lbs. (kg.)		261 (118)	342 (155)	444 (201)
	Electrical Supply	120 VAC/60 Hz/1 Ph	120 VAC/60 Hz/1 Ph	120 VAC/60 Hz/1 Ph
	Running Load Amps	1.6	2	2.5
ELECTRICAL	Electrical Connection	Hard wired	Hard wired	Hard wired
SPECIFICATIONS	Defrost Initiation	Automatic	Automatic	Automatic
	Defrost Type	Off cycle	Off cycle	Off cycle
	Lighting Type	LED	LED	LED
	Horsepower	1/4	1/3	1/3
REFRIGERATION	Expansion Device	TXV	TXV	TXV
SPECIFICATIONS	Evaporator Capacity - Remotes	1900 Btu/Hr @ 20° F Evaporator	2300 Btu/Hr @ 20° F Evaporator	2300 Btu/Hr @ 20° F Evaporator
	Remote Refrigerant Options	R134a & R404a	R134a & R404a	R134a & R404a
PLUMBING	Evaporator Condensate	Field plumbed	Field plumbed	Field plumbed

Wine Temperature refrigerators do not carry NSF Rating for open food storage.

Wine Temperature units are NSF certified for non-potentially hazardous bottled and canned beverage storage.

Form No. 95175 Rev. 04.10.25



REMOTE NARROW DOOR BACK BAR REFRIGERATOR



40" [1016] 5" 6 1/4" 128 160 4 3/4" 6 1/4" [120] [158] 12 3/8" 0 [314] 18 3/4" [476] **1" NPS** BACK LINER TO Ø2" [51] DRAIN **INSIDE DOOR SILL** OPTIONAL ACCESS FLOOR 36 7/16" ACCESS [926] KIT 0 19 **BBRN40** [482] ELECTRICAL JUNCTION BOX TYP R19 3/8" 24 3/4" 492 [629] 3 9/16" 90 11 15/16" 6 7/8" 1 13/16" [304] [175] [46] 5 3/16" 7 1/4" 5 11/16 [132] [184] [145] 6 1/4" Ø 2" [51] [158] ACCESS 31" 34 9/16" 31 7/8" HOLE 788 878 809 BOTH ENDS 20 3/4" 1 1/16" 527 [26] 7/8" 4 11/16" GLASS DOOR VIEWING AREA 13 9/16" [245] X 25 3/4" [654] DOOR OPENING 16 5/16" [414] X 28" [711] [119] [22] 3/4" NPT DRAIN EXIT 22 3/4" 578

WARNING: California Prop 65 Notice

These products may expose you to chemicals including Chromium, which are known to the state of California to cause cancer and birth defects or other reproductive harm. For more information on whether a product in this list contains these chemicals, please refer to the specific product page at **perlick.com**. Or to find out more about Prop 65, go to **P65Warnings.ca.gov**.

Form No. 95175 Rev. 04.10.25

PERLICK CORPORATION 8300 W. Good Hope Rd., Milwaukee, WI 53223 • (800) 558-5592 • perlick.com



REMOTE NARROW DOOR BACK BAR REFRIGERATOR





WARNING: California Prop 65 Notice

These products may expose you to chemicals including Chromium, which are known to the state of California to cause cancer and birth defects or other reproductive harm. For more information on whether a product in this list contains these chemicals, please refer to the specific product page at **perlick.com**. Or to find out more about Prop 65, go to **P65Warnings.ca.gov**.

Form No. 95175 Rev. 04.10.25

PERLICK CORPORATION 8300 W. Good Hope Rd., Milwaukee, WI 53223 • (800) 558-5592 • perlick.com