



MODEL NUMBERS - BBS36C

COCKPIT FRONT-FACING REFRIGERATED DRAWERS

This front-facing prep system maximizes efficiency with a compact, ergonomic design built around Zero-Step bartending principles. Fresh ingredients stay chilled, accessible, and organized to improve throughput and reduce wasted motion.

Job:
Area:
Item #:
Model #:



COCKPIT FRONT-FACING REFRIGERATED DRAWERS

MODEL NUMBER
BBS36C

Feature-Benefits

- 27-5/8" Depth - The original! Designed to fit next to Perlick's Cockpit Collection line of underbar product.
- 24-3/4" Depth - Designed to fit next to Perlick's Top Shelf Full Depth line of underbar product.
- Lowers labor costs by putting bar prep at each station, allowing barbacks to focus on other tasks
- Keeps bar fruit and juices fresh longer at proper holding temperature which lowers food cost
- Increases bartender throughput by eliminating wasted motion behind the bar
- Top drawer holds up to 12 ninth-pans of fresh bar ingredients in-place and to exact temperature all shift long!
- Bottom drawer holds up to 20 liters of backup juice, mixers, or opened wine and champagne bottles
- Engineered and built to withstand the punishment high-volume bars dish out
- Reduces bartender bending, stooping, and wasted motion behind the bar
- Keeps bartenders eyes up and forward enhancing the guest experience, speed of service, and genuine hospitality
- Eliminates bartenders turning their backs on guests or leaving the bar just to restock basic bar prep
- Truly brings the bar to the kitchen with the first-ever front-facing bartender refrigeration, just like chefs use on the line
- Lower drawer re-engineered to allow for zero-step storage of the tallest liters - including pour spouts! (SS #285-50)
- Ergonomically-designed 36" drainboard top keeps between 48-72 clean glasses and tools at the bartender's reach to eliminate bending
- Stainless steel interior & top for long life durability and easy-to-clean hygienic storage
- 2" Foamed-in-place more sustainable insulation provides energy savings with zero ozone depletion
- Anti-sweat heater in drawer mullion helps prevent cabinet face condensation in harsh environments
- Choose compressor mounted on left or right side to perfectly match your Bartender's Cockpit™
- NSF-Listed digital controller allows for easy and precise temperature changes
- 1 Year Parts and Labor Warranty, 5-Year Compressor Warranty
- Drawer locks standard
- Made in USA



800.558.5592

perlick.com



MODEL NUMBERS - BBS36C

COCKPIT FRONT-FACING REFRIGERATED DRAWERS

MODEL NUMBERS		BBS36C
EXTERIOR CABINET DIMENSIONS	Width - in. (mm)	36 (914)
	Depth - in. (mm) w/optional Backsplash for Non-Mod Bar Applications	24-3/4" (628) Depth and 27-5/8" (701) Depth
	Height - in. (mm)	35-5/16 (897)
INTERIOR CABINET DIMENSIONS	Width - in. (mm)	20 (508)
	Depth - in. (mm)	18-3/4 (476)
	Height - in. (mm)	31 (788)
INTERNAL VOLUME Net. Cu. Ft. (Litres)		7.4 (210)
SHIPPING WEIGHT Lbs. (kg.)		254 (115)
ELECTRICAL SPECIFICATIONS	Electrical Supply	120 VAC/60 Hz/1 Ph
	Running Load Amps	1.8
	Electrical Connection	Cord connected
	Cord Plug Type	NEMA 5-15
	Cord Length	6'5"
	Defrost Initiation	Automatic
	Defrost Type	Off cycle
	Thermostat	Digital control
	Lighting Type	LED
REFRIGERATION SPECIFICATIONS	Horsepower	1/6
	Refrigerant	R290
	Refrigerant Charge (grams)	90
	Heat Rejection at 75F Ambient	900 BTU/Hr
	Factory Temperature Setting - Refrigerator F (C)	36° (2.2°)
	Temperature Range - Refrigerator F (C)	33°-40° (0.5°-4.5°)
	Condensing Unit Location	Left or Right
	Expansion Device	Capillary tube
	Pull-Out Condensing Unit	Yes
	Front Vented	Yes
PLUMBING	Floor Drain Included	Yes
	Evaporator Condensate	Automatically
ACCESSORIES	Garnish/ingredient rack for Ninth size pans, cutting board	




800.558.5592

perlick.com



COCKPIT FRONT-FACING REFRIGERATED DRAWERS

BBS36C



-LOWER BASKET
 17 1/8" [434] LENGTH
 20 1/16" [510] DEPTH
 13 1/2" [342] HEIGHT
 MAX BOTTLE HEIGHT 17 1/4"




COCKPIT FRONT-FACING REFRIGERATED DRAWERS



MODEL NUMBERS - BBS36C

Note: Open floor drain not provided on models intended for non-packaged food.

BBS36C [24-3/4" Depth]
(See page 3 for drawer dimensions and notes)



800.558.5592

| perlick.com