




DRAFT COCKTAIL SYSTEM

Designed for draft cocktails, this NSF-certified 4-port keg system uses controlled circulation to maintain consistent beverage quality without agitation. Quick disconnects and programmable mixing support efficient operation and reliable performance.

Job:
Area:
Item #:
Model #:



Feature-Benefits

- Serving craft cocktails on tap is a way to quickly elevate your beverage program and increase revenue
- Increase bartender efficiency by pre-batching high volume cocktails
- Maintain a consistent spirits ratio to reduce pour costs
- Temperature regulation and keg storage extends the shelf life of pre-batched cocktails
- NSF approved circulating pump maintains a thorough blend of beverage ingredients without over-agitating
- Programmable timer allows for intermittent mixing to precisely and automatically control circulation
- In-line fine mesh filter prevents pulp and other ingredients from entering pump
- Choose from 5 and 10-gallon circulating cocktail kegs or select a 5-gallon standard non-circulating keg for cocktails that do not require stirring



800.558.5592

perlick.com

DRAFT COCKTAIL SYSTEM

DRAFT COCKTAIL COMPONENTS*

PART NO.	DESCRIPTION
KC5	Cockpit 5 gallon, circulating cocktail keg
KC10	Cockpit 10 gallon, circulating cocktail keg
KCTCDD-X	Cocktail keg tower connection kit for direct draw
KCTCLD-X	Cocktail keg tower connection kit for long draw
KCP-X	Cockpit Circulating pump for cocktail keg (included in connection kits)
KCPC	Parts bag for circulating cocktail keg (included in connection kits)
KCNT	Nitrogen Cylinder, Alum., 244 cu/in Internal Volume
2925C-X	Nitrogen Regulator - Twin gauge
KCPS	Cockpit Pulp Strainer for kegging cocktail mixture
CC5NAT	5 gallon, standard non-circulating cocktail keg
CCTCK	Parts bag for non-circulating cocktail keg

*Each item is sold separately




KC5



KC10



KCP-X



KCPS



KCPS



Timer and Filter included in KCPC



DRAFT COCKTAIL SYSTEM

COCKTAIL KEG TOWER CONNECTION KIT - Direct Draw (Part No. KCTCDD-X) - Includes:

Part No.	DESCRIPTION	QTY
KCP-X	Circulating Cocktail Pump	1 ea.
KCPC	Parts bag for circulating cocktail keg (detail below)	1 ea.
1392R	Red Gas Line (5/16" ID)	8 ft.
1392R-250	Red Gas Line (1/4" ID)	8 ft.
67740	Beverage Tubing (Flavor Lock, 1/4" ID)	32 ft.
1024282-1	Pump Cover Panel	1 ea.
1023952-1	Pump Mounting Bracket	1 ea.
1024478-1	Tube Inlet Panel	1 ea.
54871-123	Stepless Clamp (.386-.484 range), Stainless Steel	4 ea.
C33037	Stepless Clamp (.453-.551), Stainless Steel	4 ea.
C31958	Stepless Clamp (.520-.618), Stainless Steel	4 ea.
C14879	Bushing, Snap, .391" OD, Nylon	6 ea.
C15967	Bushing, Snap, 2" OD, Nylon	2 ea.
70123-1	Doughnut Plug 2" OD	2 ea.
M50050-466	#10 1/2" Full Contour Truss Screw	4 ea.
M00494-129	#10-32, 1/14" Pan Head Screw	4 ea.
KCTCDD-X-SRVI	Installation Instructions	1 ea.

COCKTAIL KEG TOWER CONNECTION KIT - Long Draw (Part No. KCTCLD-X) - Includes:

Part No.	DESCRIPTION	QTY
KCP-X	Circulating Cocktail Pump	1 ea.
KCPC	Parts bag for circulating cocktail keg (detail below)	1 ea.
1392R-250	Red Gas Line (1/4" ID)	8 ft.
67740	Beverage Tubing (Flavor Lock, 1/4" ID)	32 ft.
57040	Hose Splicer (1/4" x 3/8", 304SS)	1 ea.
67748	Tailpiece (1/4", 304SS)	1 ea.
67932	Hose Union (3/8" to 5/16")	1 ea.
1024282-1	Pump Cover Panel	1 ea.
1023952-1	Pump Mounting Bracket	1 ea.
1024478-1	Tube Inlet Panel	1 ea.
54871-123	Stepless Clamp (.386-.484 range), Stainless Steel	4 ea.
C33037	Stepless Clamp (.453-.551), Stainless Steel	8 ea.
C14879	Bushing, Snap, .391" OD, Nylon	6 ea.
C15967	Bushing, Snap, 2" OD, Nylon	1 ea.
70123-1	Doughnut Plug 2" OD	2 ea.
M50050-466	#10 1/2" Full Contour Truss Screw	6 ea.
M00494-129	#10-32, 1/14" Pan Head Screw	4 ea.
KCTCDD-X-SRVI	Installation Instructions	1 ea.

PARTS BAG FOR CIRCULATING COCKTAIL KEG (Part No. KCPC) - Includes:

Part No.	DESCRIPTION	QTY
1013378	In-line filter	1 ea.
1013381	Programmable Timer	1 ea.
1013415	Nipple, 3/8" MPT X 1/4" Barb, 304SS	4 ea.
67740	Beverage Tubing (Flavor Lock, 1/4" ID)	5 ft.
54871-123	Stepless Clamp (.386-.484 range), Stainless Steel	6 ea.



800.558.5592

perlick.com