



### **G5** LUXE **24" REFRIGERATOR DRAWERS**

Crafted with over a century of premier commercial refrigeration expertise, the Perlick G5 collection brings the most innovative refrigeration available into the home—empowering hosts to serve effortlessly, whether for one guest or many.

Job: Area: Item #: Model #:



G5RD24SL









MODEL NUMBER	MANUFACTURER ITEM NUMBER	DESCRIPTION
G5RD24SL	URS24A61- 5-SD00	24" REFRIGERATOR, DRAWERS

#### G5 Luxe Collection Feature-Benefits

- **High-Performance Cooling:** Perlick's fastest cool-down speed yet, powered by Perlick's exclusive RAPIDcool™ technology chills every beverage quickly and evenly throughout the cabinet
- · Seamless, Beautiful Design: Sleek cabinet profile with self-close drawers, integrate effortlessly into surrounding cabinetry
- · Commercial-Grade: Industry-exclusive 300-series stainless steel interiors and exteriors provide corrosion-resistance and durability
- · Trusted Performance: Certified for indoor and outdoor use, delivering consistent performance in kitchens, patios, or rooftop terraces
- Smart Technology: Adapts to your usage and environment for frost-free, consistent cooling, while continuously monitoring unit health for easy troubleshooting and fast remote support
- Industry's Best Warranty: 6 years parts and labor, plus a 30-day initial aesthetics parts and labor warranty
- Quick-Cool Mode: Chills beverages up to 20% faster for on-demand cooling
- Intuitive Touchscreen Controls: Sleek, modern interface with temperature, lighting, and diagnostics on an easy-to-use interface
- Total Color Control™ LED Lighting: 20 curated settings, including four distinct white tones, to create any desired aesthetic
- · Signature Legacy Handle: Premium knurled stainless grip with cast end caps embossed with the Perlick emblem
- Ultra-Quiet Performance: Powered by Perlick-exclusive variable speed technology, delivering quiet operation without compromising cooling power
- Triple-Pane Glass Doors: Low-E, argon-filled, UV-resistant glass reduces energy transfer and strengthens durability
- . Perlick Anti-Condensation System™: Prevents condensation from forming on the exterior of the cabinet
- · Easy Installation: Patent-pending front-access leveling legs allow quick adjustments without tipping the unit
- Better For The Environment Refrigerant: This product uses R600a refrigerant which has zero ODP and very low GWP
- Exclusively Perlick: Exclusively designed, engineered and manufactured by Perlick
- Sabbath Mode-Star K certified that allows equipment to operate in accordance with Halacha, Shabbat, and Jewish Holidays

#### G5 Luxe Dual Zone Wine And Refrigerator Drawers Feature-Benefits

- · High capacity drawers provide organization of fresh ingredients for drink service, meal prep or beverages for the family
- 33°F (0.6°C) 48°F (8.9°C), Factory Set Point 38°F (3.3°C)



800.558.5592

perlick.com





# **G5** LUXE **24" REFRIGERATOR DRAWERS**

MODEL NUMBERS		G5RD24SL
MODEL DESCRIPTION		REFRIGERATOR DRAWERS
OVERALL DIMENSIONS	Width - in. (mm)	23 7/8" (606)
	Depth - in. (mm)	22 1/2" (572)
	Height - in. (mm)	34 5/16" (872)
	Width - in. (mm)	24" (610)
OPENING DIMENSIONS	Depth - in. (mm)	24" (610)
	Height - in. (mm)	34 1/2" (876)
INTERNAL VOLUME Net. Cu. Ft. (L).		4.9 (138)
SHIPPING WEIGHT Lbs. (kg.).		214 (97)
EQUIPMENT WEIGHT Lbs. (kg).		175 (78)
	Electrical Supply	115VAC/60 Hz/1 Ph
	Running Load Amps	1.9
	Electrical Connection	Cord connected
	Cord Plug Type	NEMA 3 Prong 5-15P
ELECTRICAL SPECIFICATIONS	Cord Length	6′
	Defrost Initiation	Automatic
	Defrost Type	Off cycle
	Thermostat	Digital
	Lighting Type	LED
	Refrigerant	R600a (57g)
	Expansion Device	Capillary Tube
REFRIGERATION SPECIFICATIONS	Temperature Settings F (C)	33°F (0.6°C) - 48°F (8.9°C) Factory Set Point 38°F (3.3°C)
	Heat Rejection (at 75°F)	450 BTU/hr
	Front Vented	Vac


Perlick accessories are available for purchase through an authorized Perlick dealer. For a full list of accessories and to find a dealer near you, visit perlick.com









## **G5** LUXE **24" REFRIGERATOR DRAWERS**



\* - Leg levelers can add 3/4" [19] to these dimensions when fully extended.

\*\* - Overlay will add additional 3/4" [19] to overall depth. In additon, overall depth will change depending on handle selected.







800.558.5592

perlick.com