



24" SIGNATURE SERIES
Wine Reserve



eco friendly
R600a Refrigerant



JOB	
AREA	
ITEM NO.	
MODEL NO.	



Glass Door Model



Solid Door Model

MODELS	DESCRIPTION
HP24WS-4-1R/L	Indoor Signature Series Wine Reserve Solid Stainless Steel Door
HP24WS-4-2R/L	Indoor Signature Series Wine Reserve Solid Panel Ready Door
HP24WS-4-3R/L	Indoor Signature Series Wine Reserve Stainless Steel Glass Door
HP24WS-4-4R/L	Indoor Signature Series Wine Reserve Panel Ready Glass Door
HP24WO-4-1R/L	Outdoor Signature Series Wine Reserve Solid Stainless Steel Door
HP24WO-4-2R/L	Outdoor Signature Series Wine Reserve Solid Panel Ready Door
HP24WO-4-3R/L	Outdoor Signature Series Wine Reserve Stainless Steel Glass Door
HP24WO-4-4R/L	Outdoor Signature Series Wine Reserve Panel Ready Glass Door
HP24WM-4-1R/L	Marine Signature Series Wine Reserve Solid Stainless Steel Door
HP24WM-4-2R/L	Marine Signature Series Wine Reserve Solid Panel Ready Door
HP24WM-4-3R/L	Marine Signature Series Wine Reserve Stainless Steel Glass Door
HP24WM-4-4R/L	Marine Signature Series Wine Reserve Panel Ready Glass Door

KEY PRODUCT FEATURES AND BENEFITS

- Superior construction provides ideal combination of energy efficient operation & powerful refrigeration performance ideal for food and beverages
- 1000 BTU/hr capacity delivers industry's most energy efficient cool down; indoors or outdoors
- Up to 70% faster cooling speeds than leading competitor
- All stainless steel interior and exterior provide superior durability and easy cleaning
- Wine shelves fully extend on vibration dampened, stainless steel ball-bearing glides; stainless steel wine shelves will not absorb odors over time
- Perlick Anti-Condensation System™ eliminates condensation from forming on the cabinet (Outdoor and Marine models only)
- Marine & Coastal Grade with Perlick Armor™ upgrades stainless steel, fasteners, and refrigeration system to the highest blend of corrosion resistance and food safety

Quick Features:

- Industry's best full 6 year warranty for owner ease of mind
- Available with stainless steel or panel ready doors to match your design style
- Audible door alarm warns user if door is held open
- Selectable blue or white LED lighting
- R600a Natural Refrigerant offers maximum energy efficiency with zero ozone depletion potential
- Storage for up to 45 bottles of wine



24" SIGNATURE SERIES
Wine Reserve

MODEL NUMBERS		HP24WS	HP24WO	HP24WM
MODEL DESCRIPTION		24" Indoor Wine Reserve	24" Outdoor Wine Reserve	24" Marine/Coastal Wine Reserve
ATTRIBUTES				
Perlick Anti-Condensation System		NO	YES	YES
Perlick Armor™		NO	NO	YES
OVERALL DIMENSIONS	Width - in. (mm)	23-7/8" (606 mm.)	23-7/8" (606 mm.)	23-7/8" (606 mm.)
	Depth - in. (mm)	24" (610 mm.)	24" (610 mm.)	24" (610 mm.)
	Height - in. (mm)	34-1/4" (870 mm.)	34-1/4" (870 mm.)	34-1/4" (870 mm.)
STANDARD OPENING DIMENSIONS	Width - in. (mm)	24" (610 mm.)	24" (610 mm.)	24" (610 mm.)
	Depth - in. (mm)	24-7/8" (632 mm.)	24-7/8" (632 mm.)	24-7/8" (632 mm.)
	Height - in. (mm)	34-1/2" (876 mm.)	34-1/2" (876 mm.)	34-1/2" (876 mm.)
INTERNAL VOLUME Net. Cu. Ft.		5.2 cu. ft.	5.2 cu. ft.	5.2 cu. ft.
SHIPPING WEIGHT Lbs. (kg.)		222 lbs (100.7 kg.)	222 lbs (100.7 kg.)	222 lbs (100.7 kg.)
ELECTRICAL SPECIFICATIONS	Electrical Supply	115 VAC/60 Hz/1 Ph	115 VAC/60 Hz/1 Ph	115 VAC/60 Hz/1 Ph
	Running Load Amps	1.9 amps	1.9 amps	1.9 amps
	Electrical Connection	Cord connected	Cord connected	Cord connected
	Cord Plug Type	NEMA 3 Prong 5-15P	NEMA 3 Prong 5-15P	NEMA 3 Prong 5-15P
	Cord Length	6'	6'	6'
	Defrost Initiation	Automatic	Automatic	Automatic
	Defrost Type	Off cycle	Off cycle	Off cycle
	Thermostat	Digital	Digital	Digital
	Lighting Type	LED	LED	LED
REFRIGERATION SPECIFICATIONS	Refrigerant	R600a (62g)	R600a (62g)	R600a (62g)
	Expansion Device	Capillary Tube	Capillary Tube	Capillary Tube
	Temperature Settings F°(C°)	45° (7.2°) - 65° (18.3°) Factory Set Point 55° (12.7°)	45° (7.2°) - 65° (18.3°) Factory Set Point 55° (12.7°)	45° (7.2°) - 65° (18.3°) Factory Set Point 55° (12.7°)
	Heat Rejection (at 75°F)	450 BTU/hr	450 BTU/hr	450 BTU/hr
	Pull Down Capacity	1000 BTU/hr	1000 BTU/hr	1000 BTU/hr
	Front Vented	Yes	Yes	Yes
PLUMBING		None Required	None Required	None Required

Installation Notes: To achieve 24" install depth, place electrical connection adjacent to the installation cavity.

ACCESSORIES

MODEL NOS.	DESCRIPTION
(L)	Factory Installed Lock
67991-L/R	Stacking Kit for HP24/HC24/HA24 models
66736	Caster Kit for HP24/HC24/HA24 models
67115-24	Wood Faces for Wine Shelves (7/pk)

Perlick accessories are available for purchase through an authorized Perlick dealer. For a full list of accessories and to find a dealer near you, visit perlick.com.



WARNING: California Prop 65 Notice

These products may expose you to chemicals including Chromium, which are known to the state of California to cause cancer and birth defects or other reproductive harm. For more information on whether a product in this list contains these chemicals, please refer to the specific product page at perlick.com. Or to find out more about **Prop 65**, go to P65Warnings.ca.gov.




24" SIGNATURE SERIES
Wine Reserve

	CUSTOMER MODEL NUMBER	REGULATORY MODEL NUMBER	Hinge Side	Lock
INDOOR	HP24WS-4-1L	HP24WS4F-00-SLF0W	Left	No
	HP24WS-4-1R	HP24WS4F-00-SRF0W	Right	No
	HP24WS-4-2L	HP24WS4F-00-PL00W	Left	No
	HP24WS-4-2R	HP24WS4F-00-PR00W	Right	No
	HP24WS-4-3L	HP24WS4F-00-TLF0W	Left	No
	HP24WS-4-3R	HP24WS4F-00-TRF0W	Right	No
	HP24WS-4-4L	HP24WS4F-00-RL00W	Left	No
	HP24WS-4-4R	HP24WS4F-00-RR00W	Right	No
	HP24WS-4-1LL	HP24WS4F-00-SLFLW	Left	Yes
	HP24WS-4-1RL	HP24WS4F-00-SRFLW	Right	Yes
	HP24WS-4-2LL	HP24WS4F-00-PL0LW	Left	Yes
	HP24WS-4-2RL	HP24WS4F-00-PR0LW	Right	Yes
	HP24WS-4-3LL	HP24WS4F-00-TLFLW	Left	Yes
	HP24WS-4-3RL	HP24WS4F-00-TRFLW	Right	Yes
	HP24WS-4-4LL	HP24WS4F-00-RL0LW	Left	Yes
	HP24WS-4-4RL	HP24WS4F-00-RR0LW	Right	Yes
OUTDOOR	HP24WO-4-1L	HP24WO4F-00-SLF0W	Left	No
	HP24WO-4-1R	HP24WO4F-00-SRF0W	Right	No
	HP24WO-4-2L	HP24WO4F-00-PL00W	Left	No
	HP24WO-4-2R	HP24WO4F-00-PR00W	Right	No
	HP24WO-4-3L	HP24WO4F-00-TLF0W	Left	No
	HP24WO-4-3R	HP24WO4F-00-TRF0W	Right	No
	HP24WO-4-4L	HP24WO4F-00-RL00W	Left	No
	HP24WO-4-4R	HP24WO4F-00-RR00W	Right	No
	HP24WO-4-1LL	HP24WO4F-00-SLFLW	Left	Yes
	HP24WO-4-1RL	HP24WO4F-00-SRFLW	Right	Yes
	HP24WO-4-2LL	HP24WO4F-00-PL0LW	Left	Yes
	HP24WO-4-2RL	HP24WO4F-00-PR0LW	Right	Yes
	HP24WO-4-3LL	HP24WO4F-00-TLFLW	Left	Yes
	HP24WO-4-3RL	HP24WO4F-00-TRFLW	Right	Yes
	HP24WO-4-4LL	HP24WO4F-00-RL0LW	Left	Yes
	HP24WO-4-4RL	HP24WO4F-00-RR0LW	Right	Yes
MARINE & COASTAL	HP24WM-4-1L	HP24WM4F-00-MLF0W	Left	No
	HP24WM-4-1R	HP24WM4F-00-MRF0W	Right	No
	HP24WM-4-2L	HP24WM4F-00-PL00W	Left	No
	HP24WM-4-2R	HP24WM4F-00-PR00W	Right	No
	HP24WM-4-3L	HP24WM4F-00-NLF0W	Left	No
	HP24WM-4-3R	HP24WM4F-00-NRF0W	Right	No
	HP24WM-4-4L	HP24WM4F-00-RL00W	Left	No
	HP24WM-4-4R	HP24WM4F-00-RR00W	Right	No
	HP24WM-4-1LL	HP24WM4F-00-MLFLW	Left	Yes
	HP24WM-4-1RL	HP24WM4F-00-MRFLW	Right	Yes
	HP24WM-4-2LL	HP24WM4F-00-PL0LW	Left	Yes
	HP24WM-4-2RL	HP24WM4F-00-PR0LW	Right	Yes
	HP24WM-4-3LL	HP24WM4F-00-NLFLW	Left	Yes
	HP24WM-4-3RL	HP24WM4F-00-NRFLW	Right	Yes
	HP24WM-4-4LL	HP24WM4F-00-RL0LW	Left	Yes
	HP24WM-4-4RL	HP24WM4F-00-RR0LW	Right	Yes



24" SIGNATURE SERIES
Wine Reserve



* - Leg levelers can add 3/4" [19] to these dimensions when fully extended.

