



COCKPIT PREP SINK

Designed for efficient bar prep, this multi-function sink features an integrated glass rinser, foot-operated swing spout faucet, and heavy-gauge seamless construction for easy cleaning and quiet operation.

Job:
Area:
Item #:
Model #:



COCKPIT PREP SINK

MODEL NUMBER	DESCRIPTION
TSCE12PSTC	Cockpit Prep Sink 12"
TSCE12PSTC-RC	Cockpit Prep Sink 12" with Recessed Cubby
TSCE18PS	Cockpit Prep Sink 18"
TSCE18PS-RC	Cockpit Prep Sink 18" with Recessed Cubby



TSCE18PSTC



TSCE18PSTC-RC



TSCE12PS



TSCE12PS-RC

Feature-Benefits

- Heavy gauge fabricated sink bowl has one-piece seamless top with radius corners for easy cleaning
- Optional swing spout faucet with foot operated control is available
- Underside of sink(s) is sound deadened
- Integrated glass rinser to quickly rinse bartender shaker tins (not included)
- Optional integrated recessed cubby provides useful storage space – heavy gauge wire rod securely keeps bottles in place
- Sectioned – multi-depth tool caddy accommodates various length bar tools (not included) and includes a factory installed dedicated faucet
- Stainless steel legs install without tools and have "rust free" thermoplastic feet



800.558.5592

perlick.com




COCKPIT PREP SINK

MODEL NUMBERS - TSCE12PS, TSCE12PS-RC, TSCE18PSTC, TSCE18PSTC-RC

MODEL NOS.		TSCE12PS	TSCE12PS-RC
DIMENSIONS: EXTERIOR (mm)	LENGTH IN. (mm)	12" (305)	12" (305)
	SHIP WT. lbs (kg)	50 (22.6)	50 (22.6)
CONSTRUCTION		All stainless steel construction. TSCE Series: Stainless steel 6" high (4" high optional) with 1" return at top, mechanically fastened and sealed. TSD Series: Not applicable	
SINK - WET WASTE		Stainless steel sink bowl with 1/4" radius corners. Sound deadened to absorb sound. 9-1/2" x 16-5/16" x 7-3/16" deep. Furnished with 1-1/2" NPS stainless steel drain socket. Accommodates "optional" wet waste pan.	
GLASS RINSER		NSF listed stainless steel 4-3/8" diameter glass rack and valve assembly. 1/2" NPS thread for valve connection for 3/8" flexible hose. 9-1/2" x 6-3/16" x 15/16" deep pan has "water fall" drainage into wet waste sink, eliminates need for additional drain. Includes removable glass rack. <i>Check local plumbing codes. Install in-line water regulator set to 15-20 psi (not included). Install in-line shut-off valve (not included) and turn off nightly.</i>	
RECESSED CUBBY STORAGE		N/A	Stainless steel recessed cubby storage in front face of module, 10-3/8" x 7-5/8" x 4-1/2" deep. Heavy gauge stainless steel rod retainer, keeps small bottle secure.
LEGS		1-5/8" tubular, stainless steel with 1" adjustable thermoplastic foot.	
ACCESSORIES		NSF-listed, low lead compliant water faucets, spouts and foot operated pedals.	

TSCE12PS-RC



800.558.5592

perlick.com

COCKPIT PREP SINK

MODEL NUMBERS - TSCE12PS, TSCE12PS-RC, TSCE18PSTC, TSCE18PSTC-RC

MODEL NOS.		TSCE18PSTC	TSCE18PSTC-RC
DIMENSIONS: EXTERIOR (mm)	LENGTH IN. (mm)	18" (457)	18" (457)
	SHIP WT. lbs (kg)	60 (22.6)	60 (22.6)
CONSTRUCTION		All stainless steel construction. TSCE Series: Stainless steel 6" high (4" high optional) with 1" return at top, mechanically fastened and sealed. TSD Series: Not Applicable	
SINK - WET WASTE		Stainless steel sink bowl with 1/4" radius corners. Sound deadened to absorb sound. 9-1/2" x 16-5/16" x 7-3/16" deep. Furnished with 1-1/2" NPS stainless steel drain socket. Accommodates "optional" wet waste pan.	
GLASS RINSER		NSF listed stainless steel 4-3/8" diameter glass rack and valve assembly. 1/2" NPS thread for valve connection for 3/8" flexible hose. 9-1/2" x 6-3/16" x 15/16" deep pan has "water fall" drainage into wet waste sink, eliminates need for additional drain. Includes removable glass rack. <i>Check local plumbing codes. Install in-line water regulator set to 15-20 psi (not included). Install in-line shut-off valve (not included) and turn off nightly.</i>	
TOOL CADDY DISHER WELL (Model TSCD18PSTC-RC)		Stainless steel sink bowl with 1/4" radius corners. Sound deadened to absorb sound. 4-3/8" c 14-5/16" x 7-3/16" deep. Furnished with 1-1/2" NPS stainless steel drain socket. Includes removable, sectioned, multi-depth tool caddy disher well to accommodate various length bar tools (not included). Includes factory installed NSF-listed, low-lead, fine stream "dipper" faucet.	
RECESSED CUBBY STORAGE		N/A	Stainless steel recessed cubby storage in front face of module, 10-3/8" x 7-5/8" x 4-1/2" deep. Heavy gauge stainless steel rod retainer, keeps small bottle secure.
LEGS		1-5/8" tubular, stainless steel with 1" adjustable thermoplastic foot.	
ACCESSORIES		NSF-listed, low lead compliant water faucets, spouts and foot operated pedals.	

TSCE18PSTC-RC

